

7500100

KOURTEHINARIO (SEIDENKE (CEHRINO) EUH) E

North American Plant Breeders

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED to be entitled to a certificate of plant variety protection under the ${
m LAW}.$

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF seventeen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC D OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-E OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, ORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT HEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

ALFALFA

'Apollo'

In Testimony Mancrot, I have hereunto set my hand and caused the seal of the Elant Variety Protection Office to be affixed at the City of

Washington

day of September

the year of our Lord one thousand nine

seventy-nine

Attest

Agricultural Marketing Service

FORM GR - 470 (12-15-72)

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

FORM APPROVED OMB NO. 40-R3712

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.	10 400-			
1. VARIETY NAME OR TEMPORARY DESIGNATION	2. KIND NAME			AL USE ONLY
<u>A</u> pollo	Alfalfa		7500V	20
Tested as NAPB 44 3. genus and species name	4. FAMILY NAME (Bo	tanical)	FILING DATE	TIME _ A.M.
Medicago Sativa	Leguminacea	ì	<u>し、23.75</u>	BALANCE DUE
	5. DATE OF DETERM	MINATION	\$ 250.00	\$
	March, 1974	1	\$ 250,00	\$
	1101011, 157		\$ 250.00	\$
6. NAME OF APPLICANT(S)	7. ADDRESS (Street a.	nd No. or R.F.D. No.	, City, State, and ZIP	B. TELEPHONE AREA CODE AND NUMBER
North American Plant Breede	ers P. O. Box 	991	•	501-374-1652
	Little Rock	., Arkansas	72203	332 37 / 233=
	P.O. BOX	2955, <i>5</i> 201	Johnson Dr.	
	Mission	KS 66205	KE	
9. IF THE NAMED APPLICANT IS NOT A F ORGANIZATION: (Composation, pastnershi Corporation		Connecti	orporation Cut	PORATION March 9, 1973
12. Name and mailing address of appl	:) :6 +	- in Abi- annlinasion o	ad receive all papers
P. 9: Box 991 Little Rock, Arkansus 7226 13. CHECK BOX BELOW FOR EACH ATTAG X 13A. Exhibit A, Origin and Br	CHMENT SUBMITTED:	K5 66205	\mathcal{KE} ion 52 of the Plant Va	
X 138. Exhibit B, Botanical Des				
X 13D. Exhibit D, Data Indicativ	ve of Novelty			
X 13E. Exhibit E, Statement of t				
14A. Does the applicant(s) specify th (See Section 83(a), (If "Yes," a		elow.)	YES X NO	
148. Does the applicant(s) specify th	-		o 14B, how many gene	rations of production
limited as to number of generati	ons?	beyond bree	_	CERTIFIED
The applicant declares that a viable ance of a certificate and will be rep				
The undersigned applicant(s) of th uniform, and stable as required in Plant Variety Protection Act.		-	•	-
Applicant is informed that false re June 2, 1975 (DATE)	presentation herein ca	North Ameri	can Plant Breede	
(DATE)	_	Forage Bree		NT)

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.



EXHIBIT A

Origin and Breeding History of the Variety

APOLLO

Apollo was developed using three cycles of phenotypic recurrent selection beginning in the spring of 1971. Initially 12,000 plants were screened for Phytophthora root rot resistance using the greenhouse procedure later described by Frosheiser and Barnes in Standard Tests For Characterizing Disease And Insect Resistance of Alfalfa Varieties, a committee report to the 23rd Alfalfa Improvement conference. In the initial cycle of selection, resistant plants were saved from the named varieties Titan, Vernal, Weevlchek, Anchor, Saranac, Tempo, Kanza, Dawson and Cody, plus breeding lines already in the program which had been selected for winterhardiness yield and bacterial wilt resistance. Survivors were intercrossed with subsequent cycles of greenhouse and field selection. In each cycle of selection a minimum of 200 plants were selected, with sufficient numbers screened so that selection for vigor as well as Phytophthora resistance was possible. During the development of Apollo a total in excess of 120,000 plants were screened for Phytophthora resistance. Final selections were made from the North American Plant Breeder's field Phytophthora nursery (946 selections) and North American Plant Breeder entries in the University of Minnesota Phytophthora fee test (202) in the fall of 1973. Of the 1148 parent clones, approximately 75% trace to hardy parentage predominately Titan, Vernal and Weevlchek. The other 25% trace equally to Flemish types predominately Anchor, Tempo, Saranac and Central types predominately Dawson, Cody and Kanza.

Breeders seed of Apollo was produced in the greenhouse at Ames, Iowa, during the period October, 1973, to August, 1974, with a sufficient quantity held in cold storage for the life of the variety. Stability of the cultivar will be assured since all commercial seed will trace to the original breeders seed. Foundation seed will be produced only from breeders seed, while certified seed may be produced from breeders or foundation. Seed produced from certified will not be recognized as Apollo.

AMENDED EXHIBIT A

APOLLO: Origin and Breeding History

It is confirmed that during seed production no variants beyond the limits defined under Exhibit C have been found and that the multiplication procedure will ensure that the seed being sold as Apollo will not have shifted in characteristics beyond accepted limits for alfalfa varieties.

ADDENDUM TO EXHIBIT A

APOLLO - - UNIFORMITY

It is also confirmed that:

"APOLLO MEETS PRESENTLY ACCEPTABLE LEVELS OF UNIFORMITY FOR ALFALFA VARIETIES."

NORTH AMERICAN PLANT BREEDERS

<u>August 1, 1978</u>

Date

Giles E. Dixon

Research Director

EXHIBIT B

Botanical Description of the Variety

APOLLO

Apollo exhibits good seedling vigor, fast recovery after cutting and good fall growth typical of high yielding alfalfas with substantial Flemish or Central type background. For fall growth habit Apollo resembles Citation more closely than any variety it has been compared to at Ames, Iowa, being virtually equal in fall dormancy. Apollo is much less fall dormant than Vernal and Agate. Bacterial wilt resistance is equal to Vernal with leaf-hopper tolerance better than Vernal and Nugget and much better than Agate.

Apollo has a high level of resistance to Phytophthora root rot and is equal to Agate, the only other variety with high resistance to this disease. Citation is not resistant to Phytophthora root rot.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

OF AGRICULTURE

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY

Alfalfa (Medicago sativa L. complex)

the second secon	
NAME OF APPLICANT(S) North American Plant Breeders	VARIETY NAME OR TEMPORARY DESIGNATION
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	Apollo
P. O. Box 991	FOR OFFICIAL USE ONLY
Little Rock, Arkansas 72203	PVPONUMBER
Trees Rock, Arkansas 72203	7500100
Place the appropriate number that describes the varietal character of this variety in the boxe Place a zero in first box (e.g. 089 or 09) when number is either 99 or less or 9	s below. For less.
NOTE: For single plant data a minimum of 100 plants is suggested	
1. PRIMARY AREA OF ADAPTATION	INDICATE AREA WHERE TEST WAS
All except # 5	CONDUCTED. FURTHER EXPLANATION CAN GO IN COMMENTS AT THE END
1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST	OF THE FORM.
4 = SOUTHEAST 5 = SOUTHWEST 6 = SOUTHERN PLAINS	AREA TESTED
7 = INTERMOUNTAIN	2, 4, 6
2. WINTER HARDINESS	<u> </u>
1 = NON-HARDY (Mess Sirsa) 3 = INTERMEDIATE NON-HARDY 5 = MODERATELY HARDY (Saranac) 9 = EXTREMELY HARDY (Norseman)	2 AREA TESTED
SOURCE OF INFORMATION: 1 = ANTICIPATED 2 = MEASURED	
3. FALL GROWTH HABIT	
1 = ERECT (Mesa Sirsa) 3 = SEMIERECT (DuPuits) 5 = INTERMEDIATE (Saranac) 7 = SEMIDECUMENT (Vernal) 9 = DECUMBENT (Norsement)	2 AREA TESTED
4. RECOVERY AFTER FIRST SPRING CUTTING	
1 = VERY FAST (Mesa Sirsa) 3 = FAST (Saranac) 5 = INTERMEDIATE 9 = VERY SLOW (Norseman)	2 AREA TESTED
5. FLOWERING DATE (FIRST SPRING GROWTH)	
DAYS EARLIER THAN	AREA TESTED
5. CROWN TYPE	
7 1 = SPREADING ROOTS 3 = SPREADING RHIZOMES (Teton) 5 = BROAD (Vernal) 7 = INTERMEDIATE (Saranac) 9 = NARROW (Mesa Sirsa)	2 AREA TESTED
7. PLANT COLOR	
5 = GREEN (Vernal) 7 = LIGHT GREEN (Ranger)	2 AREA TESTED
B. HAIRINESS	
% PLANTS WITH PUBESCENT STEMS 0 8	% PLANTS WITH PUBESCENT PODS
9. POD SHAPE	
0 8 8 % PLANTS WITH TIGHT COILS 0 1 2 % PLANTS WITH LOOSE COILS	0 0 0 % PLANTS WITH SICKLE PODE (Less than 1 coil)

EXHIBIT D

NOVELTY STATEMENT

'APOLLO'

'Apollo' is most similar to 'Anchor', all characteristics considered.

'Apollo' differs from 'Anchor' by having a high level of resistance to Phytophthora root rot (Phytophthora megasperma Drechs.) while 'Anchor' is susceptible.

1414 Mix. Report 24 Univ. Mim.

Table 2. Winterhardiness index and disease resistance of alfalfa varieties eligible for certification

				NT PLANTS ³
		Winter	Bacterial	Phytophthora
Variety	Developer or owner ¹	hardiness (index)²	wilt (percent)	root rot (percent)
/ERY WINTERHAF		· (iiidux)		
villennan Vorseman	Barzen of Minneapolis	~	highest value best	
adak	USDA (foreign introduction)	7.9 7.5	30	4
ravois	S. Dakota Agr. Exp. Sta. ^p	7.5 7.4	8 37	2
amsey	Minnesota Agr. Exp. Sta. & USDA	6.7	37 37	9
VINTERHARDY		0.7	37	5
aker	Nebraska Agr. Exp. Sta. & USDA ^p	6.5	50	3
ernal	Wisconsin Agr. Exp. Sta. & USDA eghikpq	6.5	42	2
itan	Rudy Patrick Co.*	6.4	60	2
onquest	Pioneer Hi-Bred International Inc.	6.3	21	4
23	DeKalb Ag Research Inc.b	. 6.3	41	3
VL 215	Waterman-Loomis Co. ^h	6.3	36	4
gate	Minnesota Agr. Exp. Sta. & USDA *****	6.0	65	43
oquois	Cornell University	6.0	61	1
adak 65	Montana Agr. Exp. Sta.	6.0	36	2
lugget	P-A-G ¹	5.9	46	<1
20	Pioneer Hi-Bred International Inc.™	5.9	40	1
21	Pioneer Hi-Bred International Inc.™	5.9	19	. 1
24	Pioneer Hi-Bred International Inc."	5.9	24	7
45	Pioneer Hi-Bred International Inc.	5.8	35	25
X-10	Sexauer Co. ^p	5.7	5	3
hytor	Northrup, King & Co.1	5.5	34	24
alor	Land O'Lakes ^a	5.5	36	2
Veevichek	Farmers Forage Res. Coop.	5.5	57	2
nchor 💮	Rudy Patrick Co. ^e	5.4	36	3
olar 1	Pride Seed Co.º	5.4	49	8
anger	Nebraska Agr. Exp. Sta. & USDA ***	5.4	18	2
VL 220	Waterman-Loomis Co.	5.4	49	12
ODERATELY WIN			0	
acer itation	Land O'Lakes	5.3	33	8
larathon	North American Plant Breeders ^h Cargill ^a	5.2 5.2	45 36	2
VL 307	•			2
pollo	Waterman-Loomis Co. North American Plant Breeders	5.2	26	<1 40 ——
empo	Farmers Forage Res. Coop.	5.1 5.1	36 26	40 2
.59	E.F. Mangelsdorf & Bros. Inc.º			
/L 310	Waterman-Loomis Co.	5.0 5.0	16 42	. 4
30	Pioneer Hi-Bred International Inc.m	5.0	38	3 2
VL 309	Waterman-Loomis Co. ^{hk}	4.7	•	
/L 311	Waterman-Loomis Co.	4.7	25 36	3 2
oneoye	Cornell University	4.6	16	<1
aranac AR	Cornell University	4.6	29	8
VL 318	Waterman-Loomis Co.hk	4.6	32	20
777	Funk Seed Int.d	4.5	25	4
aranac	Cornell University®	4.5	49	2
hor	Northrup, King & Co.	4.5	69	1
ista	Cal/West Seeds	4.5	34	<i< td=""></i<>
-57	Embro Seed Co. Inc.º	4.4	12	. 6
tlas	North American Plant Breeders	4.3	39	3
Varrior	Northrup, King & Co.	4.3	20	<1
31	Cal/West Seeds ^b	4.3	10	1
31.	Pioneer Hi-Bred International Inc.	4.3	23	3
llympic	North American Plant Breeders ^c	4.2	39	3
VL 219	Waterman-Loomis Co.	4.2	27	9
angard	North American Plant Breeders*	4.1	28	3

¹⁹⁷⁹ seed suppliers: a. Cargill Seeds, b. DeKalb, c. Farmland Industries, d. Funk Soeds International, e. Interstate Seed and Grain Co., g. Land O'Lakes, Inc., h. Midland Cooperatives, Inc., i. Northrup, King & Co., J. P-A-G Sonda, k. Peterson Biddlick, J. Peterson Forage Seed Div., m. Prioneer Hi-Bred International, Inc., n. Pride Company, Inc., o. Ramy Seed Co., p. The Sexauer Company, q. Twin City Seed Co. Based on fall growth after cutting 1st week of September: 1 = tallest (least winterhardy), 9 = shortest.

³Plants with little or no injury are classified as resistant.

TARIF 1

Phytophthora Resistance of Apollo Alfalfa

University of Minnesota 1974

Variety %	% Resistance	Severity Index
Apollo	43.7	2.73 1
Agate	46.7	2.61
Vernal	0.9	3.83
Saranac	2.4	4.07

^l Higher numbers represent more damage to the plants.

TABLE 2

Ames, Iowa 1974 Data - Alfalfa - Trial ID 74-81-01-03

Phytophthora Nursery 1

Entry	% Phytophthora Resistance	
Apollo	58.8	
Agate	54.5	
Saranac	8.7	

¹ Seeded 5-24-74

Read 9-1-74 Procedures used were those described by Frosheiser and Barnes in Standard Tests For Characterizing Disease And Insect Resistance of Alfalfa Varieties, a committee report to the 23rd Alfalfa Improvement conference.

	NAPB Ames, Iowa 10-22-74 Measurements	surements
	Planted April 18, 1974	Planted April 30, 1974
Variety	Height % Vernal	Height % Vernal
/erna]	100.0	100.0
4pollo	137.8	128.2
Agate	116.2	102.5

Leafhopper Yellowing

	NAPB Ames Iowa July 17, 1974 Ratings Planted April 18, 1974	Planted April 30, 1974
Variety	Plant damage rating	Plant damage rating
Apollo	4.8 1	3.6
Vernal	5.0	4.0
Saranac	5.4	4.6
Agate	5.6	4.2
1 Lower numbers indicate less damage to leaves	lamage to leaves	

TABLE 5 Fall dormancy of alfalfa varieties in forage trials

						NAPR			
		NAPB	NAPB Ames, Iowa	+		Brookston 2	Univ.Neb. ²		· · · ·
Entry	10-22-74	10-14-75	10-22-74	10-14-75	10-15-75	10-28-75	Mead 10-6-75	10-15-75	J0-22-75
Apollo	6.12	11.6	6.0	14.1	5.9	5.4		11.4	7.62
Atlas	. !	i 1 1	6.5	14.1	6.4	4.0	:	13.0	
Olympic	7.32	13.7	6.5	14.1	7.3	2.2	4.25	13.4	9.35
Victor	7.20	13.6	6.5	14.1	9.9	3.0	5.00	14.6	8.26
Nugget	5.6	12.4	5.4	12.7	5.0	8.0	!	!	!
Citation	6.1	12.2	5.6	14.1	4.9	6.0	5.00		!
Anchor	5.4	13.2	9.6	13.2	5.4	6.4	!	9.1	.
Titan	4.5	11.9	4.8	12.0	5.0	7.8		9.5	;
Vernal ³	4.4	9.8	4.7	11.3	į	5.4	5.75	9.1	6.12
Saranac	7.0	€ 14.0	6.7	14.3	5.7	5.2	4.75	10.6	8.06
Agate	5.2	11.6	4.8	12.2	4.9	8.4		8.3	; }
%5 QST.		1.9	··	ထ္		1.25			
c. v.		11.9		4.9		19.5			
Seeded	4-74	: +	5-74	4	4-75	4-75	4-74	8-74	5-75

1 **He**ight in inches

2 Higher ratings indicate less fall growth

Left out of data from 1975 seedings. Seed received as certified Vernal does not have Vernal fall dormancy characteristics.

TABLE 6

Crown Width of Alfalfa Varieties at Ames, Iowa

	Av. Width ¹	
Variety	Inches	No. Plants
Anchor	4.78	139
Nugget	4.48	130
Citation	4.22	156
Apollo	4.05	195
Atlas	4.73	199
0)ympic	4.34	185
Victor	4.79	158
Titan	4.94	160
Saranac	3.89	207

Seeded in 30" rows May 1974 and thinned to one plant per foot. Measured October 31, 1975.

TABLE 7

Pod Shape and Pubescence of NAPB Alfalfa Varieties, October 1975, Warden, Washington

Varietv	% Plants With ¹ Pubescent Pods	% Plants With Tight Pods	% Plants With Loose Pods	% Plants With Sickle Pods
Anchor	68	86	14	0
Nugget	99	. 87	13	
Citation	86	06	10	0
Apollo	82	88	12	0
Atlas	77	82	18	0
Olympic	62	81	19	0
Victor	93	84	16	0
1 1-4 rating,	1 = most hair	1 + 2 = % pubescent pods	nt pods	

TABLE 10 1975 Bacterial Wilt Trial University of Minnesota

Entry	Minnesota Seed Lot No.	Average severity index*	Actual percent resistant plants**
Narragansett	AS-4	4.01	0.9
Ranger	AR-132	2.79	17.9
Verna1	FC 33696	2.30	34.2
LSD 5% level LSD 1% level CV		.32 .42 8.5%	

^{*}Calculated on basis of average severity infection of individual plants in each of 3 replications (about 75 plants observed per entry per rep.).

Your entry(ies):	Jim Moutray -	North American Plant Breeders	
Apollo (NAPB-44)	3137	2.32	29.1
Olympic (NAPB-43)	3138	2.23	31.5
Victor (NAPB-42)	3139	2.62	22.2
Atlas (NAPB-41)	3140	2.24	31.2

^{**} Plants scored 0 and 1 (on a 1-5 scale) considered resistant.

Anthracnose resistance of Apollo, Atlas, Olympic and Victor alfalfa

		Labor	Laboratory Tests				Fie	Field Rating
	Virginia Poly. Insti Glenn Buss May - June 1975	Virginia Poly. Institute ¹ Glenn Buss May - June 1975	Kansas State Univ. Don Stuteville Aug Sept. 1975	univ. ² ille : 1975	North Carolina ³ State-Thad Busbice May-June 1975	NAPB ⁴ Ames, Iowa Nov-Dec.1974	19 Fo Total Br	1975 NAPB ⁵ Forage Trial Brookston,In
	% resistant ⁶ plants	% resistant ⁶ Total plants plants rated	% survivors	Plants tested	% resistant plants	% resistant ⁶ plants	plants rated	10-28-75
Apollo	69	32	3.3	240	34	11.7	165	5.67
Atlas	96	24	40.8	244	. 26	44.6	172	3.0
Olympic	87	31	42.4	239	41	54.5	182	2.2
Victor	85	41	50.8	235	59	40.1	155	1.4
Anchor	ł		1	!	1	10.1	143	6.2
Saranac	36	28	2.5	208	21	;		;
Belts 2-An4	91	56	? !	;	-;	!	;	;
Arc	;	1	76.4	179	99	49.9	176	1.8
Saranac AR		1	ļ	;	1	1	1.	2.2
LSD 5% level	el		21.2	,	17			1.2
1 "Inoculati	"Inoculation did not take too well.		mping off also	caused p	Damping off also caused problems and severely reduced numbers before and	educed numbers	before an	

during the inoculation. The data are not much more than rough indicators of resistance."

No ratings taken, survivors considered resistant.

[&]quot;Test was not as good as hoped, higher than usual environmental factor. Value for Saranac is unrealistically high." Test only fair as rhizoctonia invaded benches and made determinations difficult. 20

Ratings complicated by presence of mildew plus Leptosphaerulina and common leafspot

Test conducted using Barnes basic scheme. Ratings of 1 + 2 = resistance.

Lower numbers are most desirable.

TABLE 12

Downy mildew resistance of Apollo, Atlas, Olympic and Victor alfalfa in Kansas State test by Dr. Don Stuteville-September, 1975

% Plants Mildew Free

		Isolate	
Entry	I 5	1.7	I 5 and I 7^1 in combination
Apollo	18.5	11.7	4.7
Atlas	30.0	30.4	12.0
01vmpic	32.8	19.7	12.6
Victor	28.4	14.5	5.7
Saranac (Res. Ck.)	52.8	27.3	21.5
Anchor	36.8	39.0	21.6
Arc	i i	:	4.8
Vernal			4.2
Agate	1 1	1 1 1	7.1
Kanza (Sus. Ck.)	1.0	1.9	1.1
LSD05	10.4	8.6	21.2

Very severe test

TABLE 13
1974 Phytophthora Trial
University of Minnesota

Entry	Minn. Seed lot No.	Average severity index*	Actual Percent resistant plants**
Saranac (SCC 72)	2694	4.07	2.4
Vernal (VCC 72)	2695	3.83	6.0
15 x 17 (Syn. 2)	2895	4.74	1.0
Agate	2590	2.61	46.7
LSD 5% level		0.46	
LSD 1% level		0.60	
CV		9.5 %	

 $[\]star$ Calculated on basis of average severity infection of individual plants in each of 4 replications.

^{**}Plants scored 1 and 2 (on a 1-6 scale) considered resistant.

four entry(les):	North American	<u>Plant</u> Breeders	
NAPB-44 -Apollo	3050	2.73	43.7
NAPB-45 - Exp.	3051	2.87	37.1
NAPB-46 - Exp.	3052	2.72	41.0
NAPB-47 - Exp.	3053	2.53	53.1

Mailed 10-18-74 Dr. Jim Moutray

Laddie J. Elling

cc: Duane M. Smith

TABLE 14
1975 Phytophthora Trial
University of Minnesota

Entry	Minn. Seed Lot No.	Average severity index*	Actual Percent resistant plants**
Saranac (SCC 72)	3043	5.26	0.0
15 x 17 (Syn. 2)	2895	5.55	0.0
Agate (Foundation)	2892	3.34	20.0
LSD 5% level		0.49	
LSD 1% level		0.65	
CV	. "	8.5%	

^{*}Calculated on basis of average severity infection of individual plants in each of 4 replications.

^{**}Plants scored 1 and 2 (on a 1-6 scale) considered resistant.

Your entry(ies):	Jim Moutray - No	rth American Plant B	<u>ree</u> ders
Atlas	3140	5.51	0.0
Olympic	3138	4.75	1.5
Victor	3139	4.87	0.0
Apollo	3137	3.90	12.5

TABLE 15
Phytophthora Resistance of Apollo Alfalfa in NAPB Trials

Entry	Ames 1974 ¹ Phytophthora Nursery Resistant Plants	Brookston, Indiana % < 7-21-74	74-85-01-01 ² Stand 5-14-75
Apollo	58.8	72	96
Anchor	9.1	30	62
Nugget	l l	24	28
Citation	!	30	64
Agate	54.5	64	92
Saranac	8.7	18	24
Titan	1	22	56
Ramsey	1	42	62
Vernal .	!	28	62
LSD .05	14.3	17.14	36.8
C. V.	21.8	14.38	35.8
Replications	12	ប ា	ហ

¹ Procedures used are those described in ARS - NC-19

Forage trial seeded April 18, 1974, with 100% stands. May rains kept ground saturated for three weeks. Phytophthora root rot severely depleted stands.

TABLE 17

1974 Spaced Plant Nursery, NAPB Ames, Iowa Leafhopper Yellowing Tolerance¹

Entry	% resistance ²	Average Severity ² Index	Number of plants rated
Apollo	59	3.40	178
Atlas	38	3.95	133
Olympic	65	3.31	175
Victor	56	3.38	146
Nugget	45	3.83	120
Citation	55	3.48	154
Titan	53	3.52	144
Anchor	16	4.63	128
Vernal	55	3.56	163
Saranac	37	3.97	201
Ranger	24	4.16	186
Weevlchek	87	2.70	198

Procedures used are those described in ARS-NC-19, 1-9 rating, 1-3 counted as resistant. Lower ASI ratings are most desirable. Seeded 5-14-74 and thinned to 12" spacing June '74, ratings made 8-27-75.

Leafhopper yellowing tolerance of alfalfa varieties in NAPB forage trials¹

Entry	Ames, 7-17-74	Iowa 7-6-75	Ames, 7-17-74	Ames, Iowa Ames, Iowa 7-17-74 7-6-75 7-17-74 7-6-75	Ames, Iowa 8-28-75	Brookst 7-1-75	Brookston, Ind. 7-1-75 8-13-75	Brookston, 8-13-75	Ind. Brookston, Ind. 6-26-75 8-25-75	ton, Ind. 8-25-75	Average
Apollo	4.8	3.2	3.6	3.8	3.2	3.0	6.0	5.8	4.2	2.8	4.0
Anchor	5.2	4.8	5.0	5.0	4.0	7.4	7.4	8.9	4.2	4.4	5.4
Ätlas	1	!	4.0	4.6	3.4	;	:	3.8	3.0	3.4	;
Olympic	4.8	4.2	4.0	5.0	2.8	6.2	5.8	4.4	2.6	2.8	4.3
Victor	4.4	3.0	3.2	4.2	2.8	5.8	7.2	5.6	3.6	2.4	4.2
Nugget	5.2	4.0	3.8	4.4	2.6	6.2	7.2	6.4	3.6	4.8	4.8
Citation	5.0	3.8	4.0	4.2	2.6	6.4	9.9	3.6	2.8	2.6	4.2
Vernal ²	5.0	3.8	4.0	4.6	1	5.6	4.6	3.6		;	;
Saranac	5.4	5.2	4.6	5.0	4.0	7.5	8.2	5.6	3.6	2.4	5.2
Titan	4.2	3.0	3.6	4.0	5.0	4.4	4.6	3.6	2.0	2.2	3.4
Agate	5.6	5.3	4.2	2.0	4.2	3.8	9.9	7.0	4.4	4.0	2.0
Seeded	4	4-74	ς	5-74	4-75	4-74		5-74	4-75	75	
ງ 1 Lower numbers indicate less yellowing	numbers in	dicate	less yel	lowing							

26

2 Left out of data from 1975 seedings. Seed received as certified Vernal does not have Vernal fall dormancy characteristics.

TABLE 19

Bloom Note on Alfalfa Varieties at Hutchinson, Kansas

Titan	27
Anchor	39
Vernal	23
Saranac	42
Apollo	33
Atlas	48
Victor	. 52
01ympic	38
Citation	61
Nugget	47
Agate	27
Kanza	25

TABLE 20

1975 Seed Yield of alfalfa varieties at Warden, Washington¹

Entry	% of checks $^{ m 1}$
Apollo	128
Atlas	132
01ympic	135
Victor	81
Nugget	135
Citation	134
Anchor	79
Vernal	85
Saranac	86
Titan	137
Agate	100
LSD 5%	45.9
C. V.	69.4
Checks average lbs/acre = 629	

1 Checks are Titan, Anchor, Vernal and Saranac

Seeded May 1974 in 44" rows at 2 lbs/acre

EXHIBIT E

Statement of the Basis of Applicant's Ownership APOLLO

The variety was bred by employees of Rudy Patrick (now called Mel Thor Inc.)

Company beginning in 1971, but ownership of the variety was successively trasferred from the Rudy Patrick Co. to International Plant Breeders Corporation (now called the Rudy Patrick Company, and from International Plant Breeders Corporation, now called the Rudy Patrick Company) to North American Plant Breeders, the present owners.

BILL OF SALE AND ASSIGNMENT

KNOW ALL MEN BY THESE PRESENTS that AGRIPRO BIOSCIENCES INC., a Delaware corporation (hereinafter referred to as "Seller"), pursuant to that certain Asset Purchase Agreement of even date herewith by and between Seller and AGR ACQUISITION CORPORATION, a Delaware corporation (hereinafter referred to as "Buyer") and for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, does hereby grant, bargain, sell, assign, convey and deliver unto Buyer, all of Seller's right, title and interest in and to the plant varieties owned/registered by Seller and more particularly set forth on Exhibit A attached hereto for which PVP Certificates have been issued by or may be pending before the U. S. Department of Agriculture.

TO HAVE AND TO HOLD UNTO PURCHASER, its successors and assigns forever.

IN WITNESS WHEREOF, Seller has executed this Bill of Sale and Assignment as of the 30th day of June, 1994.

AGRIPRO BIOSCIENCES INC.

Pros. dent

BY:	\mathcal{U}	Q.	\leq	ma
			7	

STATE OF KANSAS, COUNTY OF JOHNSON

the name of the corporation by himself as <u>fresinent</u>

WITNESS my hand and Notarial Seal at office the day and year above written.

My_Commission Expires:

ALMA M. WEAVER _NOTARY PUBLIC

My Appt. Exp. STATE OF KANSAS

State of Delaware

Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "AGR ACQUISITION CORPORATION", CHANGING ITS NAME FROM "AGR ACQUISITION CORPORATION" TO "AGRIPRO SEEDS, INC.", FILED IN THIS OFFICE ON THE THIRTIETH DAY OF JUNE, A.D. 1994, AT 4:30 O'CLOCK P.M.

A CERTIFIED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS FOR RECORDING.

SECRETARY OF STATE AUTHENTICATION:

7169071

2394087 8100

944121584

DATE:

07-01-94

ABI SHAWNEE MSN

Ø 002/002

CERTIFICATE OF AMENDMENT OF CERTIFICATE OF INCORPORATION OF AGE ACQUISITION CORPORATION

AGR Acquisition Corporation, a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware,

DOES HEREBY CERTIFY:

FIRST: that the Board of Directors of said corporation, by the unanimous written consent of its members filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of said corporation:

RESOLVED, that the Certificate of Incorporation of this corporation be amended by changing the Article thereof numbered "ARTICLE I" so that, as amended, said Article shall be and read as follows:

"ARTICLE I

Name

The name of the corporation (hereinafter called the 'Corporation') is Agripro Seeds, Inc."

SECOND: That in lieu of a meeting and vote of stockholders, the sole shareholder of the corporation has given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid emendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

FOURTH: That the capital of said corporation shall not be reduced under or by reason of said amendment.

IN WITNESS WHEREOF, said AGR Acquisition Corporation has caused this certificate to be signed by Gary T. Hancock, its President, and attested by Ann Steelman, its Secretary, this 30 day of June, 1994.

AGR ACQUISITION CORPORATION

v.

Gary W. Hancock, President

ATTEST:

BY: And Steelman, Socretary

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

OBJECTIVE DESCRIPTION OF VARIETY
Alfalfa (Medicago sativa L. complex)

NAME OF APPLICANT(S) North American Plant Breeders	VARIETY NAME OR TEMPORARY DESIGNATION
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	Apollo
	FOR OFFICIAL USE ONLY
P. O. Box 991 Little Rock, Arkansas 72203	7500100
Little Rock, Arkansas 72203	7,500100
Place the appropriate number that describes the varietal character of this variety in the boxes Place a zero in first box (e.g. 089 or 09) when number is either 99 or less or 9	below. or less.
NOTE: For single plant data a minimum of 100 plants is suggested	
1. PRIMARY AREA OF ADAPTATION	INDICATE AREA WHERE TEST WAS CONDUCTED. FURTHER EXPLANATION
All except # 5	CAN GO IN COMMENTS AT THE END
1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST	OF THE FORM.
4 = SOUTHEAST 5 = SOUTHWEST 6 = SOUTHERN PLAINS	AREA TESTED
7 = INTERMOUNTAIN	2, 4, 6
2. WINTER HARDINESS	
1 = NON-HARDY (Mesa Sirsa) 5 = MODERATELY HARDY (Saranac) 9 = EXTREMELY HARDY (Norseman) 3 = INTERMEDIATE NON-HARDY 7 = HARDY (Vernal)	2 AREA TESTED
1 SOURCE OF INFORMATION: 1 = ANTICIPATED 2 = MEASURED	
3. FALL GROWTH HABIT	
1 = ERECT (Mesa Sirsa) 5 = INTERMEDIATE (Saranac) 9 = DECUMBENT (Norsement) 3 = SEMIERECT (DuPuits) 7 = SEMIDECUMENT (Vernal)	2 AREA TESTED
4. RECOVERY AFTER FIRST SPRING CUTTING	
1 = VERY FAST (Mesa Sirsa) 3 = FAST (Saranac) 5 = INTERMEDIATE 7 = SLOW (Vernal) 9 = VERY SLOW (Norseman)	2 AREA TESTED
5. FLOWERING DATE (FIRST SPRING GROWTH)	
DAYS EARLIER THAN	AREA TESTED
6. CROWN TYPE	
7 1 = SPREADING ROOTS 3 = SPREADING RHIZOMES (Teton) 5 = BROAD (Vernal) 7 = INTERMEDIATE (Seranac) 9 = NARROW (Mesa Sirsa)	2 AREA TESTED
7. PLANT COLOR	
3 = DARK GREEN (WeevIchek) 5 = GREEN (Vernal) 7 = LIGHT GREEN (Ranger)	2 AREA TESTED
8. HAIRINESS	!
	8 2 % PLANTS WITH PUBESCENT
9. POD SHAPE	
0 8 8 % PLANTS WITH TIGHT COILS 0 1 2 % PLANTS WITH LOOSE COILS	0 0 0 % PLANTS WITH SICKLE

· · · · · · · · · · · · · · · · · · ·										(')	(sus: c	 -	
				}		·				SK,)	(RES. C	HER	то
						-		.		(O3TTI	MaUs)		
							4		DAN	ж.) <u>з</u> ьнь	(sus: c	<u></u>	
				-			Ot	,	э.	TABA (.X	(BES, C	АЯОНТН9ОТУ ТОЯ ТО	
SI "		∋t £ . L a∍ld		F			88	:	, .	(GBTT)	IMaU2)		
	<u>_</u>		<u> </u>	-			Ι Ι		A	K') KYNZ	(ene: c		
	(21	ומחוב		<u> </u>	-		9.19	3	DAN	К.) SARA	(BES. C	NAX MICDEM	DO
9/61	tate	nsas S Table	Ка	-			7.4			(datt	(a∩BMI		
									H3	К.) ВАИG	(ana: c		oas
				Ì					EA	K.) RAMS	(BES. C	ядал иом	
										(ОЭТТ	(SUBMI		
						-	8,1,	ī	1AC	K.) SARAI	(sns: ci		
aranac	2 rof	sasəq	. 7	Ī	•		[ˈtː	9		к.) Авс	(RES. C	HBACNOSE	TΝΑ
Table 11)) sta	et ε.	vA	ſ			€.3	ζ		(O3TT	(SUBMI		
					Ţ	0 t	6.0		TT38NA 9A				
	() je 10	(Tal	35.	C	2.3	Þ	ε	٦٢	YEBN (->	(BES. CI	, TERIAL WILT	B¥C
∂791 .nniM .vi		niM .vinU		. [25,32		6	Z	BMITTED)				
\₽ NOITA:			ı	ISA LSD.0	YTIR3V:	AVG. SE IN DEX	TNATS STN	183H %	l .	CULTIV≜I		DISEASE	
rs used.)	ck cultiva	Circle che	ultivars.						ATSISBR 30	OTAMEN	п ВИА ,Т	DIZEVZE' INZEC	12. 0
этінw » 0	0 0	MASHO	* 0	0 0	МОТПЭД %	0 0	1 -1		я <u>ь</u> м 8 6		30, w r	LOWER COLO	0
		· · · · ·		1	(583/	O 13 G 3N	I A OBER	2383	1	314174937	30, /8 6	100 43/1013	
				ļ					-			<u> </u>	
				<u> </u>							<u> </u>		
·					ļ								
,						ļ							
AVERAGE Mats HTDNAJ	+ 18 	.% .ww .wm	.mm .mm		1TU8(RT2		l		อเ ธเ – เเ	01 – 9 	e – o ,mm	YARIETY BMAN	۸
								_		1011000		ALAS I LEGIS	0 :01

Preferred standards: Saranac, Vernal, Morseman, Lahontan, Mesa Siras.

14 Preferred standards: Saranac, Vernal, Morseman, Lahontan, Mesa Siras.

25 From cotyledonary node to tip of stem 20 days after planting.

26 For further clarification consult USDA Agricultural Handbook No. 424.

27 Storic The institution in charge of test, ear, and (3) location of test. Describe test procedure suggested in ARS-WC-19, September 1974.

DISEASE	CULTIVAR	% RESISTANT PLANTS	AVG. SEVERITY INDEX (ASI)	ASI LSD .05	TEST, YEAR & LOCATION 4/
	(SUBMITTED)			<u>]</u>	
OTHER	(RES. CK.)				
	(SUS. CK.)				
	(SUBMITTED)				
OTHER	(RES. CK.)				
	(SUS. CK.)			<u> </u>	
INSECT	CULTIVAR	% SEEDLING SURVIVAL	AVG'SEVERITY INDEX (ASI)	ASI LSD .05	TEST, YEAR & LOCATION 4/
	(SUBMITTED)				
PEA APHID	(RES. CK.) KANZA				
 _	(SUS. CK.) RANGER	<u></u>			
	(SUBMITTED)				
SPOTTED ALFALFA	(RES. CK.) KANZA				
APHID	(SUS. CK.) RANGER		1		
INSECT	CULTIVAR	% DEFOLIATION	AVG. SEVERITY INDEX (ASI)	ASI LSD .05	TEST, YEAR & LOCATION 4/
	(SUBMITTED)				
ALFALFA WEEVIL	(RES. CK!) KKKArc				
	(SUS. CK.) VERNAL				
INSECT	CULTIVAR	% RESISTANT PLANTS	EMERGED ADULTS PER PLANT	LSD .05	TEST, YEAR & LOCATION 4/
	(SUBMITTED)				
ALFALFA SEED CHALCID	(RES. CK.) LAHONTAN			<u> </u>	
\$11AL616	(SUS. CK.) SONORA				
INSECT	CULTIVAR	% RESISTANT PLANTS	AVG. SEVERITY INDEX (ASI)	ASI LSD .05	TEST, YEAR & LOCATION 4/
	(SUBMITTED)	59	3.40		NAPB Ames, Iowa 1975
POTATO LEAF- HOPPER	Weevlchek (RÉS. CK.)	87	2.70		(Table 17)
	(sus.ck.) Ranger	24	4.16		
	(SUBMITTED)				
OTHER	(RES. CK.)				

⁽SUS. CK.)

4/ Give: The institution in charge of test, (2) year, and (3) location of test. Describe test procedure if it differs from procedure suggested in ARS-NC-19, September 1974. 8